MURASINI 24.3.88

Norwegian People's Aid
P.O.Box 9012 (Norwegian Embassy)
Dar Es Salaam

DSM, 24.03.88 Ref. 187/88

African National Congress (SA)
P.O.Box 680
MOROGORO

Att.: Project Manager

Re: KURASINI - Rehabilitation of the 2 old houses
Please find enclosed letter and bill of quantity regarding
the 2 houses, drawn by Norplan

Please note that the opening of the windows are not standard, and will not fit standard louvres. We agreed with Cde Spencer that you make the frames with opening on the top which will be covered with mosquito-net and coffee tray.

Please deliver the items as soon as possible, and inform us about the items you are not able to provide.

Yours faithfully

A. Mekki

Encl.

NORPLAN A/S Consulting Engineers, Architects, Management Consultants & Economists.



NORWEGIAN PEOPLE'S AID C/O ROYAL NORWEGIAN EMBASSY P.O. BOX 9012 DAR ES SALAAM

ATT: MR. K. MEKKI

Main Office:

NPA-DSIM. 1. No: 188/88 DATE 24/3/88 Bygdøy Allé 5 0257 Oslo 2, Norway

Tel.: (02) 56 56 90/5

International call: +47 2 56 56 90/5

Telex: 19361 Nplan N

Your ref.:

Our ref.: T024/NT115/88/CWG/jm DSM.88.03.24

Dear Sir,

RE: T-024. ANC RESIDENCES AT KURASINI PLOT 28

Please find attached quantities of various items required for the above works as taken from the B.O.Q for the new building and the ANC drawings for the older units, Buidings 1 and 2.

In the case of the new building, items that are contractor "Supply and fix" have not been included eg. pipes, doors, windows etc. We have one suggestion to make regarding the doors as the B.O.Q specifies all doors to be the flush type with 4mm plywood. The locally available plywood is of poor quality and should not be used, it is also preferable that all external doors be of Hardwood, which are better resistant to moisture and weather.

In the case of the renovation of the older buildings 1 and 2, the drawings are not as detailed as required for quantity survey work. Nevertheless, various items have been quantified as regards plumbing (sanitory) and electrical. The doors and windows required are listed by opening sizes as measured on site. It is left to the technical section at Morogoro to decide the final window size with regards to partition and louver heights. Available louver carrier lengths will be the dominating factor in this assessment.

Hoping you will find this in order we remain.

Yours faithfully, for NORPLAN A/S(T)BRANCH

Projects Engineer

NORPLAN TANZANIA BRANCH P.O. BOX 2820 DAR ES SALAAM TANZANIA

c.c Mr. K. Ekeberg Oslo.



HOUSE 1 ELECTRICAL FITTINGS

1.	Fluorescent lamp singh batten	5Nos
2.	Fluorescent lamp double batten	2Nos.
	Ceiling lights 1x100 Incandescent.	10Nos
4.	Incandescent 450 wall lamps 1x100	10Nos
5.	15Amp socket outlets	13Nos
6.	COOKER OUTLETS (30Amp)	2Nos
7.	Switches	
	1 Gang 1 way	28Nos
	1 Gang 2 way	6Nos
	2 Gang 1 way	1No.

Circuit Breaker

Distribution Board

Conduit, Junction boxes etc.

HOUSE NO. 2 ELECTRICAL FITTINGS

	Incandescent lamps 1x100W.	7Nos
2.	Incandescent lamp 450 1x100W.	6Nos'
3.	15Amp socket outlets	9Nos
4.	switches	
	1 Gang 1 way	8Nos
	2 Gang 1 way	2Nos
	circuit Breaker	
	Distribution Board	•
	Conduit, Junction boxes, wire etc.	



BUILDING NO. 1

1.	3 lever mortice locks with furniture	18Nos √
2.	100mm brass hinges	27pairs
3.	Night hatches	4Nos
4.	75mm Toilet Indicating Bolts	3Nos
5.	25mm dia rubber door stops	18Nos
6.	Glazed tiles (taken to 1.5m HEIGHT in	
	Bath + 1.2m height in kitchen to be	
	calculated after arrangement in finalized.	
7.	Toilet complete with cistern	2Nos
8.	Flexible conversion bend outlet	2Nos
9.	Hand wash basins complete	3Nos
10.	Toilet roll Holders	2Nos
11.	Towel Holders	3Nos
12.	Soap tray	1No
13.	6mm plate glass mirror	3Nos
14.	Shower rose etc. 13mm	1No.

BUILDING NO. 2

1.	3 lever mortice locks	7Nos V
2.	100mm brass butt hinges	10½pairs
3.	Night Matches	2Nos
4.	75mm Toilet Indicating Bolts	1No.
5.	25mm Rubber door stops	7 No
6.	GLAZED TILES 1.5m height	16m ²
7.	Hand wash basins complete	2Nos
8.	Towel holders	2Nos
9.	Soap tray	1No.
10.	6mm plate Glass Mirror	3Nos
11.	shower rose	1No

NB NO TOILET is indicated in the drawings

NEW BUILDING

1.	Roofing	new	building	Area	370.0m ²
THE RESERVE TO			~ u T T u TII d	TILCU	3/0.0111

- 2. 3 lever mortice locks with furniture 23Nos V
- 3. 100mm Brass butt hinges 34½ (69Nos)
- 4. Night latch 5 Nos
- 5. 75mm Toilet indicating Bolt 3 Nos
- 6. 25mm dia rubber door stops 23Nos
- 7. Glazed tiles 58m²
- 8. Toilet complete with cistern 915x735x55 white suite type 1103 Twyford 3Nos including P trap.
- 9. Flexible conversion bend outlet 3Nos
- 10. Hand wash basins complete type 36951 size 510x405 including plug, chain, pillar taps, botle trap and brackets 3nos

3Nos

- 11. Toilet roll holders vit China 150x150
- 12. 19mm dia towel holder chronium plated with brackets etc
- 13. Recessed soap tray 6Nos
- 14. 6mm plate glass mirrow
 600x450
 3Nos.
- 15. shower rose 13mm supply
 pipe slotted strainer and 38mm
 P trap with seal 3Nos



BUILDING 1

wall opening for windows in building 1

				WIDTHXHEIGHT		NO
Window	type	1 ,	_	2.00x1.50	_	6
window	type	2		0.50x0.90		2
window	"	3		1.00x0.90		1
window	"	4		1.00x1.20		2
window	"	5		WF24.2.6		1
window	"	6		WF24.3		1
window	"	7		WF24.3.8		1
window	11	8		1.00x1.50		1
window	"	9		0.70x0.90		1
window	"	10		WF 24.1.4		2
window	"	11		WF 24.3.4		1
					A STATE OF THE PARTY OF THE PAR	The second secon

WALL OPENINGS FOR DOORS IN BUILDING 1

						[18] 전 18] 18] 18] 18] 18] 18] 18] 18] 18] 18]		
Door	type	1		JP	101		9	Nos
Door	type	2		JP	102		2	Nos
Door	type	3	-	JP	21		1	Nos
Door	type	4	-	0.8	30x2.10		2	Nos
Door	type	5	-	0.2	2.10		4	Nos
				0	anx 2.10			

Add gause mesh 20 m (moshulo). Coffee tray wire 20 Pall. ANC.
Her handu listen for
Kurasini's dorer ez
Viiduer





BUILDING 2

wall opening for windows in building 2

				WIDTH x HEIGHT		
Window t	type	1	-	WF.24.1.4	4	Nos
window t	cype 2	2		0.45x1.40	 2	Nos
window t	суре 3	3		1.85x1.40	3	Nos
window t	cype 4	4		1.00x0.90	1	No.
window t	cype !	5		2.85x0.8	1	No.

WALL OPENINGS FOR DOORS BUILDING 2

Door	type	1	- JP 21	210 x 140. 1	1No.
			- JP 102	210 x 90 1	1No.
Door	type	3	-(0.90x2.10)	210×90 A 210×130 A	4Nos
Door	type	4	- 2.10x1.30	210×13014	1No.