

m:m-xg;. mung. WWWWW
391110101 09M 5 u 0c, 8C
Finnsolidarity
00531 HELSINKI 53 P 14300/85
TURKU
11.6.1985

VIITE VIITTEEMME 1 ()

—, ' Lamminpee/mv

TGWHBNKA according to agreement

TOIMITUSEHTO ex S to ck

mmwuano according to agreement

MYyntIEHDOT WNTOPUOLELLA OLEVAT YLEISEI' MYyntIEHDOT 1.4.1975

We refer to the discussions between Mr. Viljanen/

Mr. Lamminpea and have the pleasure to offer you:

Pos.1 1 pc DEWALT Dw 1600 radial saw

- For gross cut
- technical specification according to the
- . enclosed leaflet

Price: FIM 11.000,-w

In addition:

Gross cut tahle: '

- infeed table 2 m
- delivery table 3 m
- 2 manual measure stops
- measure Shale
- leg pair 5 pcs

Price:'_ ' 1' 1 FIM 5.240,-

Sea emballage: FIM 2.500,-

../2

YSTAVALLISIN TERVEISIN

P ROJ ECTA OY

LAHIOSOITE POSTIOSOITE PUHELIN TELEX PANKIT

NUPPULANTIE 41 PL 4 921-391 122 62307 PROJE SF KANSALLIS-OSAKE-PANKKI TURKU

20310TURKU31 20311 TURKU31 SUOMEN YHDYSPANKKI TURKU

TURUN SUOMALAINEN SMSTOPANKKI TUHKU

TURUN SMSTOPANKKI TURKU

E

PROJECEA OY -2-

Pos.2 1 pc GRIGGIO SC C anel saw for ri in

Technical data:

- spindle diameter 30 mm
- blade diameter 300 mm
- max. height of cut 95 mm
- table dimensions 768 x 760 mm
- tilting blade 45
- spindle speed 3200 rpm
- motor 3 kw
- weight 280 kg

Price: . FIM 14.950,-

In addition auxiliary table:

- . - infeed table 1 m
- ddelivery table 1 m
- _ leg pair 4 pcs

Price: FIM 870,-k_1

Sea emballage: FIM 2.500,-'

Pos.3 1 pc GRIGGIO PF 400 surface Qlaner

Technical data:

- planing width 400 mm
- length of the table 2600 mm
- a knives cutter
- shaFt rotation speed 5000 rpm
- max. depth of cut 20 mm
- depth of shoulder 20 mm
- motor 3 kw
- weight 556 kg
- . - overall dimensions 2600 x 730 x 1000 mm

Standard equipment:

selfbraking device, emergency switch,
Europe tyEe Epotection, suction dusthood; H :_
motor pro ec 10n

Price: FIM 24.800,-

Sea emballage: FIM 3.500,-

Pos.4 1 pc GRIGGIO PS 520 thicknessing glaner

Technical data:

- working width 520 mm
- table size 540 x 1000 mm
- hight max to planer 250 mm
- 4 knives cutter Ø 120 mm
- feeding speeds 8,16 m/l'
- shaft rotation speed 5000 rpm
- motor 4 kw
- weight 750 kg N"
- overall dimensions 1000 x 1100 x 1050amm

../3

Price:

See emballage:

Poe.5 1 pc

Price:

Sea emballage:

Pos.6 1 pc

Price:

See ehballage:

Standard equipment:

selfbraking device, emergency switch, sectioned roller,
motor protection, suction dust hood

FEM 29.800,-

FIM 3.500,s

GRIGGIU SCI 3000 Qanelsam

Technical data:

- length of cut from the saw 3000 mm

- width of out between blade

and square 930 mm

- motor 4 kw

Standard equipment:

tilting blade, scoring unit, selfbraking dewice,

Paralellogram-protection for the saw blade,

motor protection

FIM 30.400,-

FIM 4.000,-

GRIGGIO T(C 2000 39indle moulder

- with sliding table and table extension

Technical data:

- table dimensions 1110 x 890 mm

- table height 880 mm

- spindle MK 5, diameter 30 mm

- spindle speeds 2900, 4500, 6000,

8000 and 10000 rpm

- motor 5 kw

- spindle stroke 185 mm

- weight 620 kg

FIM 25.860,-

FIM 3,300,-

Griggio prices are quoted at the present

lire rate of LIT 0.0032

Price:

. Sea emballage:

Pos.8 1 pc

Price:

Sea emballage:

Pos.9 1 pc

Price:

Sea emballage:

CEVE LT-2 triangle press

- max. pressing distance 860 mm

- max. distance between the

external pressing unit 2600 mm

- cylinder stroke _ 50 mm

- cylinder diameter 80 mm

- number of the pressing unit 3 x 8 pcs

Special equipment:

- 3 x 2 pcs horizontal pressing units,

cylinder 80/50

FIM 40.230,-

FIM 4.000.-

Prices are quoted at the present rate
of SEK 0.72.

MORBIDELLI M 21 bohring machine

- bohring head with the 21 spindles,

spindle distance 32 mm

Technical data:

- number of spindles 21 pcs

- spindle rotation 2800 rpm

- max. distance between the

external spindle centres 640 mm

- spindle centre distance 32 mm

- boring depth 70 mm

- motori 2,2 kw

- working pressure 6-7 atm

- weight 550 kg

In addition:

- support bar with four stops

FIM 37.800,-

FIM 2.500,-

PROJE L82 5 2500 belt sanding machine

Tenhnical data:

- length of table 2500 mm

- width of the tabme 800 mm

- automatic vertical stroke of

the table 600 mm

- motor , 4 kw

- belt speed 19 m/s

- weight 600 kg

FIM 14.090,-

FIM 4.000,-

PROJECFA OY -5-

Eosrl0 1 pc PROJE TB 46 belt sanding machine

- with oscillation
- two working positions

Technical data:

- dimension of sanding table 960 x 280 mm
- special sanding table 780 x 90 mm
- motor V 3 ka
- overall dimensions 1560 x 660 x 1080 mm
- weight 180 kg

Price: FIM 12.900,-

Sea emballage: FIM 2.000,-

. Pos.11 and 12

1 pc FUNDLIFE BA-1300 compressor

- delivery 41,5 l/min
- container 300 l
- filter-regulator-lubricator unit

MWFRL 2

Price: FIM 18.860.-

Sea emballage: FIM 3.000,-

Pos.13 1 pc ARO'serie 300 high pressure gainting device

Model 650 044

Technical data:

- . - air motor diameter 76 mm
- length of stroke 57 mm
- fluid pressure ratio 28:1
- operating air pressure 2-8 b&fv

d delivery 2,2 l/min

Standard equigment:

paint container 10 l, suction and high pressure
filter, lubricator and regulator assy, pressure
gauge, quick coupling

ASSESSORIES

1 pc Wagner 6-09 high-capacity gun

- service pressure max. 250 bar

1 pc Proje-Steel 2 high pressure painting hose

- length of the hose assy 10 m
- inner diameter 6,4 m
- min. bursting pressure 1240 bar
- coupling thread 1/4" NPS
- max. operating pressure 413 bar

1 pc Delavan TC-tip .V at

PROJECTA 0Y

Price:

Sea emballage:

Pos.14 1 pc

Price:

.Sea emballage:

Pos.15 1 pc

Price:

Sea emballage:

FIM 7.790,-

FIM 2.200,-

Sgrax Eainting wall model FV-2400

- breadth of the well 2400 mm

- height of the wall 2050 mm

- depth of the wall 650 mm3

- exhaust air 8600 m /h

- exhaust Fan 3,6 kw

- filter 15 m

FIM 10.400,-

FIM 3.000,-

ELITE AR 5-E univeroal grinding machine

Technical data:

- wheelhead motor 0,55 kw

- wheelhead speeds 2800/5000/7500 rpm

- vertical angular swivel of e o

wheelhead - 20

- max. distance between centers 390 mm

- longitudinal movement 300 mm

- cross travel 135 mm

- vertical movement 210 mm

- min. distance between table

and spindle 55 mm

- weight 240 kg

Base equipment:

- universal diving head

- wheelguard up to 150 mm diameter

- rotary tray

Equipment for:

B 1. grinding of the cutters

2. grinding of the circular saw

blades with carbide tipped teeth

4. grinding of the machine knives up to

700 mm

6. grinding of the drill tools

8. grinding of the hand tools

FIM 42.180,-

FIM 2.500,-

PROJECTA OY -7-

Reserve parts for one year in 8 hours' daily work 8 per cent of the machine price.

Tool cost for one year in 8 hours' daily work.

Price: FIM 30.000,-

Pos.16 DUST COLLECTION SYSTEM:

1 pc Fan PVT-175 D

- motor 15 kw 3
- capacity 9000 m /h

1 pc Cyclone RSB-11Z

- diam. 1120 mm

1 pc Network system according to the drawing 2-85u2224-P to the height of 2 m with the closing valves and the Flexible tubes to the machines.

Price: FIM 39.300,-

Sea emballage: FIM 4.000,-

In addition we offer for ripping and moulding:

1 pc GRIGGIO C 350 automatic multiblades circular saw

Technical data:

- max. cutting thickness 120 mm
- max. distance between two external blades 320 mm
- size working surface 1980 x 720 mm
- carpet feeding speeds 0-36 m/min
- motor 30 kw
- weight 1700 kg

Price: FIM 73.500,-

Sea emballage: FIM 4.000,-

../8

1 pr
Price:
Sea emballage:
WEINIG Profimat 22 N moulder
Technical data:
working width
working height
feed motor
lower horizontal spindle
vertical spindle, left and
right
spindle speed
diameter of spindles
feed speeds
Spindle arrangement:
1.
2.
3.
a.-
lower horizontal spindle
vertical Rspindle right
vertical spindle left
upper horizontal spindle
FIM 96.000,-
FIM 6.000,-
Prices are without tools.
We are at your complete disposal
for any need and looking forward
to
further discussions.
220 mm
140 mm
1,5 kw
4 kw
5,5 kw
6000 rpm
40 mm
4-22 mm