

OIP coa/oaisf8 4

2#2 #222

4th December, 1990.

TO WHOM IT MAY CONCERN

RE: Mr. O. Tambo, 51 Alexandra Park Road, Muswell Hill, N10.

He has been examined on the 2nd December, 1990.

His recent chest infection has now cleared and the Amoxycillin has been discontinued. General physical examination normal. Blood pressure 140/80. Speech and limbs as reported in Dr. Christopher Williams report.

His present medication is as follows

1. Becotide Inhaler
2. Lanoxin 0.125mgms pd
3. Moduretic 1 mane
4. Warfarin 6mgms per day
5. Temazepan 10-20mgms at night

It is suggested that the Warfarin be continued at 6mgms and that the Prothrombin Time is checked in two weeks time. The recommendation that he continue the 6mgms per day to keep the I.N. ratio at the lower end of normal due to his travelling

Dr. Douglas Rosedale

MR WALTER / 290104

* Dr D.Rossdale DObstRCOG? (Montagu)

QJJ

D

Sex:M Age:73

Request rec'd 3/12/90

#HBR

_____ H

81 Harley Street, WIN IDE (

01-935 7710

& MetPath C.L.S. (

f=> R o T H Ft O M B X M T X M EE

P ro 1h romb i. n t i me
Normal control

I. N. ra t i o
Ant i coag u1an t
Recommended dose
Date of next test

23.6 seconds (12.0 - 16.0)

13.3 seconds

2.17 (Therapeutic 2.0 - 3.5)

Warfarin

Con t i n ue 6mg da i 1 y

17th December 1990 <uuilst abroad) **

** To test on return to U.K.

c

(

(

(

(

(

3l

r

1 MR WALTER / 290104

* Dr D.Rossdale DObstRCOG, (Montagu)

qU

(

*HBR

....., H

81 Harley Street, WIN IDE (

01-935 7710

& MetPath C.L.S. (

Sex:M Age:73

Request rec'd 3/12/90

F" ROTH ROM B X |v| T X MEZ

Prothrombin time

Normal control

I.N. ratio

Anti coagulant

Recommended dose

Date of next test

23.6 seconds (12.0 - 16.0)

13.3 seconds

2.17 < Therapeutic 2.0 - 3.5)

Warfarin

Continue 6mg daily

17th December 1990 (unfit. abroad) **

To test on return to U.K.

(

C

Å£ *

L

r

In